

## TUBE PRINTER'S PRODUCT ATTRIBUTE

1. The tube printer serves several purposes: print PVC tube, shrinkable tube and label;
2. White backlight LCD display screen; the screen language can be selected from English or Chinese; the screen can display 2 lines content with each have 14 letters or symbols at the same time.
3. Printing precision is 300dpi with thermal transfer print method;
4. The printer can auto half-cutting or 2 lines not half-cutting, and can be adjusted the half cutting depth with Depth adjustment lever
5. High printing speed: 25mm/second in the normal situation; 35 sections of 20mm length PRV tube or 40 sections of 20mm length label in the half cut situation;
6. Large memory—the machine has a 1G memory and can store 128 files at the same time.
7. With simple 62-key computer keyboard, the machine can be operated easily.
8. High performance import ribbon make handwriting clear and not fade for a long time
9. The machine is durable. With the wearing course be added on the printer's head, the use life of which can be prolonged.
10. High cost performance: the machine is good in quality and low in price, the consumable material is cost-effective in quantities, which reduce the customer's total cost.
11. With a carrying case, the machine can readily be brought anywhere.





## Function summary

- 1、 The machine can print:  $\Phi 2$  to  $\Phi 8$ mm PVC, Shrinkable tube and width 6、 9、 12mm label
- 2、 The machine have powerful function 、 human-based design and white backlight LCD display screen, all those make it convenient to inquire.
- 3、 Auto half cut and manual full cut
- 4、 The machine can input 1000 characters continuously and simultaneously, and can print high efficiency in quantities;
- 5、 Can set each paragraph independently;
- 6、 Six type sizes of character is offered to select, the letter is clear and artistic, and the deepness of print can be set too.
- 7、 You can enframe or underline letter, and can set the alignment method and array direction;
- 8、 Repeatable and can put in serial-number at will which can save a lot of input time for the user.
- 9、 Several special symbols can select.
- 10、 The half-cutting knife's depth can be adjusted freely to prevent be damaged prematurely;
- 11、 The machine can print double lines;
- 12、 With cursor printing, you can set the print range freely.
- 13、 The machine has overlarge memory, which can store 128 files at the same time.



**TUBE PRINTER'S PRODUCT ATTRIBUTE:**

Printing method	<b>thermal transfer</b>
Printing precision	300dpi
Printing material	<b>print PVC tube( Φ 2 to Φ 8), Heat shrinkable tube ( Φ 2 to Φ 12)and label(6,9,12mm)</b>
Printing speed	25mm/s
mm/minute half-cutting	by 35 pvc tube of 20mm
LED	<b>White backlight, 2 lines display</b>
Printing letter	<b>character、 letter、 number and symbols</b>
Type of character	six
Keyboard	<b>64-key computer keyboard</b>
memory	1 G memory,128 files as maximum
Cutting method	Half-cut, manual cut
ribbon	Black and white
Power	DC 12V 3.5A
size	length×width×high : 290×270×110mm
weight	2.5kg
Operating temperature	15℃—35℃

**Consumable products**

Consumable products		Type	name
Ribbon	Black	12mmx80m/box,Black	RS-200B
	White	12mmx80m/Box,white	RS-80W
	Red	12mmx80m/Box,Red	RS-80R
Lable	6mm whiteLable	6mmx8m/Box,white	LS-06W
	6mmyellowLable	6mmx8m/Box,yellow	LS-06Y
	6mmsilverLable	6mmx80m/Box,Silver	LS-06S

	9mmwhiteLable	9mmx8m/Box,white	LS-09W
	9mmyellowLable	9mmx8m/Box,yellow	LS-09Y
	9mmsiverLable	9mmx80m/Box,Silver	LS-09S
	12mmwhiteLable	12mmx8m/Box,white	LS-12W
	12mmyellowLable	12mmx8m/Box,yellow	LS-12Y
	12mmsiverLable	12mmx8m/Box,Silver	LS-12S
tube	PVC tube	$\Phi 2-\Phi 10$	
	Shrinkable tube	$\Phi 2-\Phi 16$	
Half-cutting knife		KS-01	