

Stainless Steel Uncoated Bands - MPS Series

► Technical Information

- Material: Stainless Steel Grade 201, 304 or 316
- Working Temp.: -80°C to 538°C
- Colour: Metallic



Item No.	Width		Length		Thickness		Packing		Suitable Buckles	Hand Tool
	mm	inch	M	Feet	mm	Inch	M/box	Boxes/Ctn.		
MPS-3.8	3.8	0.150	50	165.0	0.26	0.01	50	4	BKG3.8	LQG LQB;LQA DQH;DQL LQD;LQD-S
MPS-4.6	4.6	0.181	50	165.0	0.26	0.01	50	4	BKG4.6	
MPS-6.4	6.4	0.252	50	165.0	0.51	0.02	50	4	BKW6.4	
MPS-9.6	9.6	0.375	50	165.0	0.63	0.025	50	4	BKW9.6	
MPS-10	10	0.39	50	165.0	0.30	0.012	50	4	BKL-10;BKG-10	
MPS-12	12	0.47	25	82.5	0.35	0.014	25	4	BKL-12;BKO-12;BKG-12	
MPS-12.7	12.7	0.50	25	82.5	0.35/0.76	0.014/0.03	25	4	BKL-12.7;BKG-12.7/BKW-12.7	
MPS-15	15	0.59	25	82.5	0.35	0.014	25	4	BKL-15;BKO-15;BKG-15	
MPS-15.9	15.9	0.63	25	82.5	0.35/0.76	0.014/0.03	25	4	BKL-15.9;BKG-15.9/BKW-15.9	
MPS-19	19	0.75	25	82.5	0.4/0.76	0.016/0.03	25	4	BKL-19;BKW-19.05	

- Supplied in reels of 165ft (50M), 82.5ft (25M).
- Other size available, please contact with STEMCO Customer Service.
- For information on installation, refer to the Hand Tools page.
- Please add the material grade by the end of the item numbers.

Stainless Steel PPA Coated Bands - MPSPAP Series

► Product Feature

- Corrosion Resistance in Harsh Offshore Environments.
- Excellent for Marine Applications.
- Safety in Oil & Gas Carriers and offshore Rigs.
- Superior Bundling Tensile Strengths.
- Self extinguishing.
- Ensures lasting protection from inter metallic corrosion.
- Safeguard the bare metal.

► Technical Information

- Material: Stainless Steel Grade 304 or 316
- Coating: PPA
- Working Temp.: -80°C to 150°C
- Colour: Black



Item No.	Width		Length		Thickness		Packing		Suitable Buckles	Hand Tool
	mm	inch	M	Feet	mm	inch	M/box	Boxes/Ctn.		
MPSPAP-6.4	6.4	0.25	50	165.0	1.0	0.039	50	4	BKLT-6.4	LQG LQB;LQA DQH;DQL LQD;LQD-S
MPSPAP-9.6	9.6	0.38	50	165.0	1.1	0.043	50	4	BKLT-9.6	
MPSPAP-12.7	12.7	0.50	25	82.5	1.2	0.047	25	4	BKLT-12.7	
MPSPAP-15.9	15.9	0.63	25	82.5	1.2	0.047	25	4	BKLT-15.9	
MPSPAP-19.05	19.05	0.75	25	83.5	1.2	0.047	25	4	BKLT-19.05	

- Supplied in reels of 165ft (50M), 82.5ft (25M).
- Other size available, please contact with STEMCO Customer Service.
- For information on installation, refer to the Hand Tools page.
- Please add the material grade by the end of the item numbers.

Stainless Steel PVC Coated Bands- MPSJ Series

► Product Feature

- Safety in Oil & Gas Carriers.
- Low Moisture Absorption.
- Excellent Banding strength.
- Safeguard the bare metal.
- PVC coating will reduce the cost, than PPA Coating.
- Provide additional edge protection.
- Prevent corrosion between dissimilar metals.

► Technical Information

- Material: Stainless Steel Type 304 or 316
- Coating: PVC
- Working Temp.: -40°C to 85°C
- Colour: Black



Item No.	Width		Length		Thickness		Packing		Suitable Buckles	Hand Tool
	mm	inch	M	Feet	mm	inch	M/box	Boxes/Ctn.		
MPSJ-5.6	5.6	0.22	50	165.0	1.0	0.039	50	4	BKG-5.6	LQG
MPSJ-9	9	0.35	50	165.0	1.0	0.039	25	4	BKL-9;BKG-9;	LQB;LQA
MPSJ-13	13	0.51	25	82.5	1.1	0.043	25	4	BKL-13;BKO-13;	DQH;DQL
MPSJ-16	16	0.63	25	82.5	1.1	0.043	25	4	BKL-16;BKO-16;BKG-16;	LQD;LQD-S

- Supplied in reels of 165ft (50M), 82.5ft (25M).
- Other size available, please contact with STEMCO Customer Service.
- For information on installation, refer to the Hand Tools page.
- Please add the material grade by the end of the item numbers.

Stainless Steel Polyester Coated Band - MPSP Series

► Product Feature

- Low Smoke, Halogen Free coating.
- Provide additional edge protection.
- Prevent corrosion between dissimilar metals.

► Technical Information

- Material: Stainless Steel Type 304 or 316
- Coating: Polyester
- Working Temp.: -80°C to 150°C
- Colour: Black



Item No.	Width		Length		Thickness		Packing		Suitable Buckles	Hand Tool
	mm	inch	M	Feet	mm	inch	M/box	Boxes/Ctn.		
MPSP-4.6	4.6	0.18	50	165.0	0.35	0.014	50	4	BKG-4.6	LQG LQB;LQA DQH;DQL LQD;LQD-S
MPSP-7.9	7.9	0.31	50	165.0	0.35	0.014	50	4	BKG-7.9	
MPSP-10	10	0.39	50	165.0	0.45	0.018	50	4	BKL-10;BKG-10	
MPSP-12	12	0.47	25	82.5	0.45	0.018	25	4	BKL-12;BKO-12;BKG-12	
MPSP-12.7	12.7	0.50	25	82.5	0.45	0.018	25	4	BKW-12.7;BKG-12.7	
MPSP-15	15	0.59	25	82.2	0.45	0.018	25	4	BKL-15;BKO-15;BKG-15	
MPSP-15.9	15.8	0.62	25	82.5	0.45	0.018	25	4	BKW-15.9;BKG-15.9	
MPSP-19	19	0.75	20	65.8	0.50	0.020	25	4	BKL-19;BKW-19.05	

- Supplied in reels of 165ft (50M), 82.5ft (25M).
- Other size available, please contact with STEMCO Customer Service.
- For information on installation, refer to the Hand Tools page.
- Please add the material grade by the end of the item numbers.

Buckles- BKLT Series, BKL Series, BKW Series, BKG Series, BKO Series

► Technical Information

- Material: Stainless Steel Grade 201, 304 or 316
- Working Temp.: -80°C to 538°C
- Colour: Metallic

L Type Buckles - BKL Series

Item No.	Width		Thickness mm	Packing PCs/bag
	mm	inch		
BKL-8	8	0.31	0.6	100
BKL-9	9	0.35	0.6	100
BKL-10	10	0.39	0.6	100
BKL-12	12	0.47	0.65	100
BKL-13	13	0.51	0.7	100
BKL-15	15	0.59	0.76	100
BKL-16	16	0.63	0.76	100
BKL-19	19	0.75	0.85	100



Thicker L Type Buckles - BKLT Series

Item No.	Width		Thickness mm	Packing PCs/bag
	mm	inch		
BKLT-6.4	6.4	0.25	0.8	100
BKLT-9.6	9.6	0.38	1.0	100
BKLT-12.7	12.7	0.50	1.0	100
BKLT-15.9	15.9	0.63	1.2	100
BKLT-19	19	0.75	1.2	100



Woolf Teeth Type Buckles - BKW Series

Item No.	Width		Thickness mm	Packing PCs/bag
	mm	inch		
BKW-6.4	6.4	0.25	1.0	100
BKW-9.6	9.6	0.38	1.0	100
BKW-12.7	12.7	0.50	1.0	100
BKW-15.9	15.9	0.63	1.0	100
BKW-19.1	19.1	0.75	1.5	100



Ball Lock Type Buckles - BKG Series

Item No.	Width		Thickness mm	Packing PCs/bag
	mm	inch		
BKG-3.8	3.8	0.15	0.4	100
BKG-4.6	4.6	0.18	0.4	100
BKG-8	8	0.31	0.6	100
BKG-12	12	0.47	0.85	100
BKG-12.7	12.7	0.50	0.85	100
BKG-15	15	0.59	0.85	100
BKG-16	16	0.63	0.85	100



- Other size available, please contact STEMCO Customer Service.
- Please add the material grade by the end of the Item Number.